according to Regulation (EC) No. 1907/2006

Sika-1 Spritz Mortar



Revision Date 30.03.2015

Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sika-1 Spritz Mortar

1.2 Relevant identified uses of the substance or mixture and uses advised against

At present there is no complete information available on identified uses. When the data becomes available, it will be integrated into the safety data sheet.

1.3 Details of the supplier of the safety data sheet

: Everbuild Building products LTD Company

> Site 41, Knowsthorpe Way Cross Green Industrial Estate

Leeds LS9 OSW UK

Telephone : 0113 240 3456

E-mail address : sds@everbuild.co.uk

1.4 Emergency telephone number

Emergency telephone num-

: 0044 113 240 3456 (office hours only)

ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1A H314: Causes severe skin burns and eye damage.

Specific target organ toxicity - single ex-H335: May cause respiratory irritation. posure, Category 3, Respiratory system

Classification (67/548/EEC, 1999/45/EC)

Corrosive R35: Causes severe burns.

Irritant R37: Irritating to respiratory system.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Sika-1 Spritz Mortar

Revision Date 30.03.2015



Hazard pictograms





Version 3.0

Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

> H335 May cause respiratory irritation.

Precautionary statements P101 If medical advice is needed, have product

container or label at hand.

P102 Keep out of reach of children.

Prevention:

P260 Do not breathe dust or mist.

P271 Use only outdoors or in a well-ventilated

area.

P280 Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin

with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa-

> ter for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsina.

P310 Immediately call a POISON CENTER or

doctor/ physician.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accord-

ance with local regulation.

Hazardous components which must be listed on the label:

266-043-4 Cement, portland, chemicals

2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients


3.2 Mixtures

Hazardous components

Chemical Name	Classification	Classification	Concentration
CAS-No.	(67/548/EEC)	(REGULATION	[%]
EC-No.	,	(EC) No	

according to Regulation (EC) No. 1907/2006

Sika-1 Spritz Mortar





Registration number		1272/2008)				
Cement, portland, chemicals 65997-15-1 266-043-4	Xi; R37/38-R41	Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335	>= 25 - < 50			
Substances with a workplace exposure limit :						
Quartz (SiO2) 14808-60-7			>= 50 - <= 100			
238-878-4						

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul-

ty.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Do not induce vomiting without medical advice.

Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Cough

Respiratory disorder

Dermatitis

See Section 11 for more detailed information on health effects

and symptoms.

Risks : Health injuries may be delayed.

corrosive effects irritant effects

according to Regulation (EC) No. 1907/2006

Sika-1 Spritz Mortar



Revision Date 30.03.2015 Version 3.0

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-

: No hazardous combustion products are known

ucts

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid breathing dust.

Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see

Country GB 000000607439

4 / 11

according to Regulation (EC) No. 1907/2006

Sika-1 Spritz Mortar



Revision Date 30.03.2015

Version 3.0

Print Date 30.03.2015

section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products

Advice on protection against

fire and explosion

: Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

> practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store in original container. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions.

Store in accordance with local regulations.

Other data Keep in a dry place. No decomposition if stored and applied

as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters *	Basis *
Quartz (SiO2)	14808-60-7	TWA	0,1 mg/m3	GB EH40
		TWA	0,1 mg/m3	GB EH40
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	GB EH40
		TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses with side-shields

Eye wash bottle with pure water Wear eye/face protection.

Hand protection : Chemical-resistant, impervious gloves complying with an ap-

proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu-

according to Regulation (EC) No. 1907/2006

Sika-1 Spritz Mortar

Revision Date 30.03.2015



Version 3.0

facturer specifications.

Recommended: Butyl rubber/nitrile rubber gloves.

Contaminated gloves should be removed.

Skin and body protection Dust impervious protective suit

> Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing

and stirring work.

Respiratory protection : Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe work-

ing limits of the selected respirator.

particulate filter P

P1: Inert material; P2: Xn; P3: T, T+

Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance powder Colour grey

Odour odourless

Odour Threshold No data available

Flash point Note: Not applicable

Ignition temperature No data available

Lower explosion limit (Vol%) No data available

Upper explosion limit (Vol%) No data available

Flammability (solid, gas) No data available

Country GB 000000607439

6/11

according to Regulation (EC) No. 1907/2006

Sika-1 Spritz Mortar

Revision Date 30.03.2015

Oxidizing properties



Version 3.0

Auto-ignition temperature : No data available

рΗ > 11,5

at 500,00 g/l

: No data available

Melting point/range / Freez-

ing point

: No data available

Boiling point/boiling range : No data available

Vapour pressure : No data available

: No data available Density

: 1.400 kg/m3 Bulk density

Water solubility : Note: soluble

Partition coefficient: n-

octanol/water

: No data available

Viscosity, dynamic

: No data available

Viscosity, kinematic : Note: Not applicable

Relative vapour density : No data available

Evaporation rate : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Country GB 000000607439

7 / 11

according to Regulation (EC) No. 1907/2006

Sika-1 Spritz Mortar

Revision Date 30.03.2015

Version 3.0

Print Date 30.03.2015

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation

Product:

Remarks: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Product:

Remarks: No data available

Respiratory or skin sensitisation

Product:

Remarks: No data available

Germ cell mutagenicity

Product:

Germ cell mutagenicity- As-

sessment

: No data available

Carcinogenicity

Product:

Carcinogenicity - Assess-

ment

: No data available

Reproductive toxicity

Product:

Reproductive toxicity - As- : No data available

sessment

No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

according to Regulation (EC) No. 1907/2006

Sika-1 Spritz Mortar

Revision Date 30.03.2015

Print Date 30.03.2015

Version 3.0

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The generation of waste should be avoided or minimized

wherever possible.

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe

Dispose of surplus and non-recyclable products via a licensed

waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

local authority requirements.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

: 16 03 04 inorganic wastes other than those mentioned in 16 European Waste Catalogue

03 03

: 15 01 10* packaging containing residues of or contaminated Contaminated packaging

by dangerous substances

SECTION 14: Transport information

ADR

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods

14.6 Special precautions for user

No data available

according to Regulation (EC) No. 1907/2006

Sika-1 Spritz Mortar

Revision Date 30.03.2015



Version 3.0

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to EC Directives (1999/45/EC)

Hazard pictograms



Corrosive

R-phrase(s) : R35 Causes severe burns.

R37 Irritating to respiratory system.

S-phrase(s) : S 1/2 Keep locked up and out of the reach of

children.

S26 In case of contact with eyes, rinse immedi-

ately with plenty of water and seek medical

advice.

S36/37/39 Wear suitable protective clothing, gloves

and eye/face protection.

S45 In case of accident or if you feel unwell,

seek medical advice immediately (show

the label where possible).

Prohibition/Restriction

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: None of the components are listed

(=> 0.1 %).

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

REACH Information: All substances contained in our Products are

- preregistered or registered by our upstream suppliers, and/or

preregistered or registered by us, and/or
excluded from the regulation, and/or
exempted from the registration.

VOC-CH (VOCV) : no VOC duties

according to Regulation (EC) No. 1907/2006

Sika-1 Spritz Mortar

Revision Date 30.03.2015



Version 3.0

Print Date 30.03.2015

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation specific for the substance or mixture:

: The Chemicals (Hazard Information and Packaging for Sup-

ply) Regulations 2002

Control of Substances Hazardous to Health Regulations 2002 The Management of Health and Safety at Work Regulations

Health and Safety at Work Act 1974

Environmental Protection Act 1990 & Subsidiary Regulations

: This product contains cement. Wet cement or mortar may Other regulations

cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with

cement based products.

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Full text of R-Phrases

R37/38 Irritating to respiratory system and skin. R41 Risk of serious damage to eyes.

Full text of H-Statements

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Full text of other abbreviations

Eve Dam. Serious eye damage

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any any use and processing.

Changes as compared to previous version!