

## Safety Data Sheet

### MAPEFLEX FIRESTOP 1200°C

Safety Data Sheet dated 28/11/2012, version 1

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier  
Trade name: MAPEFLEX FIRESTOP 1200°C
- 1.2. Relevant identified uses of the substance or mixture and uses advised against  
Recommended use:  
One-component pasty sealing  
Uses advised against:  
==
- 1.3. Details of the supplier of the safety data sheet  
Supplier:  
MAPEI U.K. Ltd - Mapei House Steel Park Road  
Halesowen - West Midlands B62 8HD  
Competent person responsible for the safety data sheet:  
sicurezza@mapei.it
- 1.4. Emergency telephone number  
MAPEI U.K. Ltd - phone: +44(0)121 508 6970  
fax: +44(0)121 5086 960  
www.mapei.co.uk (office hours)

#### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture  
Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:  
Properties / Symbols:  
None.  
  
Adverse physicochemical, human health and environmental effects:  
No other hazards
- 2.2. Label elements  
The preparation should not be considered as dangerous accordingly to dir. 1999/45/EC.  
  
Special provisions according to Annex XVII of REACH and subsequent amendments:  
None
- 2.3. Other hazards  
vPvB Substances: None - PBT Substances: None  
Other Hazards:  
No other hazards

#### SECTION 3: Composition/information on ingredients

- 3.1. Substances  
N.A.
- 3.2. Mixtures  
  
Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and corresponding classification:  
None

## Safety Data Sheet

### MAPEFLEX FIRESTOP 1200°C

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wash immediately with water for at least 10 minutes.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

A suspension of activated charcoal in water, or petroleum jelly may be administered.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

##### 4.2. Most important symptoms and effects, both acute and delayed

No specific hazards are encountered under normal product use.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

(see paragraph 4.1)

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

Suitable extinguishing media:

None in particular.

Water.

Extinguishing media which must not be used for safety reasons:

None in particular.

##### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

The original ingredients or unidentified toxic and/or irritant compounds may be present in the combustion fumes.

##### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

##### 6.2. Environmental precautions

Limit leakages with earth or sand.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

##### 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

Retain contaminated washing water and dispose it.

##### 6.4. Reference to other sections

See also section 8 and 13

## Safety Data Sheet

### MAPEFLEX FIRESTOP 1200°C

#### SECTION 7: Handling and storage

- 7.1. Precautions for safe handling  
Avoid contact with skin and eyes, inhalation of vapours and mists.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities  
Always keep the containers tightly closed.  
Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Adequately ventilated premises.
- 7.3. Specific end use(s)  
None in particular

#### SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters  
No occupational exposure limit available  
DNEL Exposure Limit Values  
N.A.  
PNEC Exposure Limit Values  
N.A.
- 8.2. Exposure controls  
Eye protection:  
Not needed for normal use. Anyway, operate according good working practices.  
Protection for skin:  
No special precaution must be adopted for normal use.  
Protection for hands:  
The use of LLPDE (0,06 mm), nitrile (0,4) or butyl (0,5 mm) gloves is suggested.  
Latex gloves are not recommended.
- Respiratory protection:  
Not needed for normal use.  
Personal Protective Equipment should comply with relevant CE standards (as EN 374 for gloves and EN 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.
- Thermal Hazards:  
None
- Environmental exposure controls:  
None

#### SECTION 9: Physical and chemical properties

- 9.1. Information on basic physical and chemical properties
- |  |           |
|--|-----------|
| Appearance:                              | pastoso   |
| Colour:                                  | various   |
| Odour:                                   | odourless |
| Odour threshold:                         | N.A.      |
| pH:                                      | n.d.      |
| Melting point / freezing point:          | N.A.      |
| Initial boiling point and boiling range: | N.A.      |

## Safety Data Sheet

### MAPEFLEX FIRESTOP 1200°C

Solid/gas flammability:	N.A.	
Upper/lower flammability or explosive limits:		N.A.
Vapour density:	N.A.	
Flash point:	N.A.	
Evaporation rate:	N.A.	
Vapour pressure:	N.A.	
Relative density:	1,75 g/cm <sup>3</sup> (23°C)	
Vapour density (air=1):	N.A.	
Solubility in water:	insoluble	
Solubility in oil:	soluble	
Viscosity:	N.A.	
Auto-ignition temperature:	N.A.	
Explosion limits(by volume):	N.A.	
Decomposition temperature:	N.A.	
Partition coefficient (n-octanol/water):		N.A.
Explosive properties:	N.A.	
Oxidizing properties:	N.A.	

#### 9.2. Other information

Miscibility:	N.A.	
Fat Solubility:	N.A.	
Conductivity:	N.A.	
Substance Groups relevant properties		N.A.

### SECTION 10: Stability and reactivity

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions
  - None
- 10.4. Conditions to avoid
  - Stable under normal conditions.
- 10.5. Incompatible materials
  - None in particular.
- 10.6. Hazardous decomposition products
  - None.

### SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
  - Route(s) of entry:
    - Ingestion: Yes
    - Inhalation: No
    - Contact: No
  - Toxicological information related to the product:
    - There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.
  - Toxicological information on main components of the mixture:
    - Toxicological information of the mixture:
      - N.A.
    - Toxicological information of the main substances found in the mixture:
      - N.A.
    - Corrosive/Irritating Properties:
      - Eye:
        - The product can cause a temporary irritation by contact.

## Safety Data Sheet

### MAPEFLEX FIRESTOP 1200°C

#### Sensitizing Properties:

No effects are known.

#### Carcerogenic Effects:

No effects are known.

#### Mutagenic Effects:

No effects are known.

#### Teratogenic Effects:

No effects are known.

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Not available data on the mixture

Aquatic toxicity: the preparation is not to be considered toxic to the aquatic environment based on components.

LC50>100mg/l - aquatic species (calculated data following 1999/45/EC Directive).

Adopt good industrial practices, so that the product is not released into the environment.

N.A.

#### 12.2. Persistence and degradability

N.A.

#### 12.3. Bioaccumulative potential

N.A.

#### 12.4. Mobility in soil

N.A.

#### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

#### 12.6. Other adverse effects

None

Not available data on the mixture

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. 91/156/EEC, 91/689/EEC, 94/62/EC and subsequent amendments.

Disposal of hardened product (EC waste code) : 08 04 03

The suggested European waste code is just based on the composition of the product.

According to the specific process or application field a different waste code may be necessary.

### SECTION 14: Transport information

#### 14.1. UN number

UN Number: ==

#### 14.2. UN proper shipping name

N.A.

## Safety Data Sheet

### MAPEFLEX FIRESTOP 1200°C

- 14.3. Transport hazard class(es)  
 Rail/Road(RID/ADR): no dangerous good  
 ADR-Upper number: NA  
 Air (ICAO/IATA): no dangerous good  
 Sea (IMO/IMDG): no dangerous good  
 N.A.
- 14.4. Packing group  
 N.A.
- 14.5. Environmental hazards  
 ADR Environmental Pollutant:  
 Marine pollutant: No  
 N.A.
- 14.6. Special precautions for user  
 N.A.
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
 ==

#### SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture  
 Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)  
 Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)  
 Dir. 98/24/EC (Risks related to chemical agents at work)  
 Dir. 2000/39/EC (Occupational exposure limit values)  
 Dir. 2006/8/EC  
 Regulation (EC) n. 1907/2006 (REACH)  
 Regulation (EC) n. 1272/2008 (CLP)  
 Regulation (EC) n. 790/2009 (ATP 1 CLP)  
 Regulation (EU) n. 453/2010 (Annex I)
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:  
 None  
 REACH Regulation (1907/2006)
- REACH Regulation n° 1907/2006 (REACH) – Art. 59 (Substances in “Candidate List”): N.A.  
 CLP Regulation n° 1272/2008 (CLP) and s.m.i.  
 Directive n° 1999/45/CE (Dangerous Preparation) and s.m.i.  
 Directive n° 67/548/CEE (Substances) and s.m.i.  
 Legislative Decree no. 81 of the 9th of April 2008 Title XI "Dangerous substances - Chapter I - Protection against chemical agents"  
 Directive 2000/39/CE and s.m.i. (Professional threshold limit)  
 Legislative Decree no. 152 of the 3rd of April 2006 and subsequent modifications and additions. (Environmental regulations)  
 Directive 105/2003/CE (Seveso III): N.A.  
 ADR Agreement – IMDG Code – IATA Regulation  
 Wassergefährdungsklasse:
- VOC (2004/42/EC) : N.A. g/l

## Safety Data Sheet

### MAPEFLEX FIRESTOP 1200°C

15.2. Chemical safety assessment

No

#### SECTION 16: Other information

This safety data sheet has been completely updated in compliance to Regulation 453/2010/EU.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

Istituto Superiore di Sanità - Inventario Nazionale Sostanze Chimiche

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
OEL:	European threshold limit value
VLE:	Threshold Limiting Value.

## Safety Data Sheet MAPEFLEX FIRESTOP 1200°C

WGK:	German Water Hazard Class.
N.A.:	N.A.
N.D.:	